

Ochrana a welfare drůbeže a králíků (včetně ochrany a welfare při přepravě, porážení a usmrcování zvířat)


Doc. MVDr. Vladimíra Pištěková, Ph.D.

Faktory ovlivňující welfare

- Vliv technologie chovu
- Vliv stájového prostředí
- Krmení a napájení
- Ošetrovatelská péče
- Nemoc

Welfare drůbeže

**Masní
brojleři**



5.1A Collection of data for broiler chicken on farm (measured on farm)

	Welfare Criteria		Measures
Good feeding	1	Absence of prolonged hunger	<i>This criterion is measured at the slaughterhouse</i>
	2	Absence of prolonged thirst	Drinker space
Good housing	3	Comfort around resting	Plumage cleanliness, litter quality, dust sheet test
	4	Thermal comfort	Panting, huddling
	5	Ease of movement	Stocking density
Good health	6	Absence of injuries	Lameness, hock burn, foot pad dermatitis
	7	Absence of disease	On farm mortality, culls on farm
	8	Absence of pain induced by management procedures	<i>This criterion is not applied in this situation</i>
Appropriate behaviour¹	9	Expression of social behaviours	<i>As yet, no measure is developed for this criterion</i>

¹ At the slaughter house, no management procedures such as beak trimming, claw cutting etc are carried out. However, stunning and slaughter processes are carried out and these are assessed under the heading 'assessed at slaughter'

	10	Expression of other behaviours	Cover on the range, free range
	11	Good human-animal relationship	Avoidance distance test (ADT)
	12	Positive emotional state	Qualitative behavioural assessment (QBA)

6.1 Collection of data for laying hens on farm

	Welfare Criteria		Measures
Good feeding	1	Absence of prolonged hunger	Feeder space
	2	Absence of prolonged thirst	Drinker space
Good housing	3	Comfort around resting	Shape and total length of available perches, evidence of red mites, dust sheet test
	4	Thermal comfort	Panting, huddling
	5	Ease of movement	Stocking density, perforated floors
Good health	6	Absence of injuries	Keel bone deformation, skin lesions, foot pad dermatitis, toe damage
	7	Absence of disease	On farm mortality, culls on farm, enlarged crops, eye pathologies, respiratory infections, enteritis, parasites, comb abnormalities
	8	Absence of pain induced by management procedures	Beak trimming
Appropriate behaviour	9	Expression of social behaviours	Aggressive behaviour, plumage damage, comb pecking wounds

Nosnice

	10	Expression of other behaviours	Use of nest boxes, use of litter, enrichment measures, free range, cover on the range, covered veranda
	11	Good human-animal relationship	Avoidance distance test (ADT)
	12	Positive emotional state	Novel object test (NOT), qualitative behaviour assessment (QBA)

Welfare vodní drůbeže a krůt

AWIN



Welfare Principles	Welfare Criteria	Welfare indicators
Good Feeding	Absence of prolonged hunger	Small size
	Absence of prolonged thirst	Small size
Good Housing	Comfort around resting	Dirtiness
	Thermal comfort	Featherless
	Ease of movement	Not available
Good Health	Absence of injuries	Head wounds
		Back wounds
		Tail wounds
	Absence of disease	Immobility
		Lameness
Small size		
Absence of pain	Sick	
	Terminally ill	
Appropriate Behaviour	Expression of social behaviour	Dead
		Lameness
		Aggression towards mate
		Featherless
		Mating
	Expression other behaviours	Head wounds
		Back wounds
Good human-animal relationship	Tail wounds	
Positive emotional state	Not available	
	Not available	
	Not available	

Welfare králíků

Welfare při přepravě králíků a drůbeže